

# PRODUCT CATALOG

www.cellux.com

Cellux 



FOR A COMPLETE LINEUP OF CELLUX PRODUCTS VISIT US AT [WWW.CELLUX.COM](http://WWW.CELLUX.COM)



# MASKING SOLUTIONS

INNOVATIVE ADHESIVE  
TAPE SOLUTIONS FOR  
EVERY INDUSTRY.™



# GENERAL PURPOSE

ADHESIVE TAPE

## C-100



The General Purpose Adhesive Tape is a reinforced adhesive film for a wide range of applications such as: strong adhesion to many substrates, the bonding of metal parts, coating, floor covering, bonding of metal to plastic, bonding of plastic to plastic. The tape allows strong bonding to metal, plastic, glass and other commonly used materials allowing efficient installation.

It is preferred as a permanent use General Purpose Adhesive Tape in the application of your bonding needs.

- 1 Strong adhesive capabilities
- 2 Excellent adhesion
- 3 Easy to handle
- 4 Temporary protection

Size	Thickness (mm)	Width (mm)	Length (m)	Weight (kg)	Dimensions (mm)
1. 100x100x0.5	0.5	100	100	0.01	100x100
2. 100x100x1		100			100x100
3. 100x100x1.5		100			100x100
4. 100x100x2		100			100x100
5. 100x100x2.5		100			100x100

# CONTRACTOR GRADE

ADHESIVE TAPE

## C-100



It offers the ability of application on rough and uneven surfaces along ground surface, walls, etc. easy to use design, it allows quick and efficient application. Due to the strength and precision of the Contractor Grade Adhesive Tape it allows you to bond other important materials together. Thanks to our preference with a tape that meets the standards of the job.

- 1 Multi-surface
- 2 Multi-purpose
- 3 Easy to handle
- 4 Medium edge adhesion

Size	Thickness (mm)	Width (mm)	Length (m)	Weight (kg)	Dimensions (mm)
1. 100x100x0.5	0.5	100	100	0.01	100x100
2. 100x100x1		100			100x100
3. 100x100x1.5		100			100x100
4. 100x100x2		100			100x100
5. 100x100x2.5		100			100x100

# HEAVY DUTY

## MARKING TAPE

C-888



Our new Heavy Duty Marking Tape is made especially for heavy-duty applications where strength and reliability are paramount. Designed with a high-tensile substrate, the tape comes in specially formulated colors making painting, marking, and other general work easier and faster. The Heavy Duty tape adheres readily, comes off easily, and will survive during repainting. Thanks to our well-established technology, this is Heavy Duty Yellow Marking Tape. It is the strongest marking surface available for general indoor use.

- Multi-purpose
- Heavy-duty water
- Multiple purposes
- Easy peeling

SIZE	Thickness (mm)	Width (mm)	Weight (g)	Quantity	Volume (liters)
1. 2.000x100x100	50	1"	50	24	1.200L
2. 2.000x100x50		1/2"		48	1.200L
3. 2.000x100x25		1/4"		96	1.200L

# BLUE

## PAINTER'S

### MARKING TAPE

C-874



With strong adhesive, Blue Painter's Marking Tape is especially designed for all your painting projects. It provides excellent adhesion and reliability.

Our high-quality formulation does a great job with protecting surfaces from unwanted signs and stains. Thanks to our peeling technology, the tape comes off independently from walls to allow you to create a clean, professional finish.

Waterproof and tear-resistant, you can rely on Blue Painter's Marking Tape to do the job. It is the product of our Blue Marking Technology. It is Blue Marking Technology.

- Multi-purpose
- No signs after removal
- Waterproof
- Superior finish

SIZE	Thickness (mm)	Width (mm)	Weight (g)	Quantity	Volume (liters)
1. 2.000x100x100	50	1/2"	50	48	1.200L
2. 2.000x100x50		1"		24	1.200L
3. 2.000x100x25		1/4"		96	1.200L
4. 2.000x100x12		1/8"		192	1.200L
5. 2.000x100x6		1/16"		384	1.200L
6. 2.000x100x3		1/32"		768	1.200L





**Cellux**   
SOLUTIONS

# SURFACE PROTECTION SOLUTIONS


“INNOVATIVE ADHESIVE  
TAPE SOLUTIONS FOR  
EVERY INDUSTRY.”



*Cellux*  
SOLUTIONS

# RED STUCCO

**TAPE**  
**C-792**



The Red Stucco Tape (STUCCO) is an essential tool for construction projects such as insulating corners, chimney, and structures. When working on these tasks, having a high-quality stucco tape makes a big difference in efficiency and durability of the construction project. The reinforced corners help speed up the projects.

- Superior strength
- High durability, making it suitable for demanding applications.
- Reinforced corners with mesh for

ITEM	THICKNESS (mm)	WIDTH (cm)	LENGTH (m)	WEIGHT (kg)	REMARKS
1. STUCCO TAPE (C-792)	2.0	27	50	0.4	100000000



# WINDOW GUARD

**ULTRAVIOLET PROTECTION FILM**  
**C-330**



The blue protection film for windows (WINDOW GUARD) is a polyethylene film that protects windows against damaging UV rays. It is easy to apply and remove, and it has the necessary adhesive to get the job done. It can be removed up to 90 days with clean solvent without damaging the window or leaving residue. It is suitable for both interior and exterior environments.

- Excellent performance during construction projects.
- Self-adhesive polyethylene film.
- Blue color.
- 90 days clean removal.
- UV resistant for outdoor use.

ITEM	THICKNESS (mm)	WIDTH (cm)	LENGTH (m)	WEIGHT (kg)	REMARKS
1. WINDOW GUARD (C-330)	0.25	27	50	1	100000000



Cellux   
AMERICA'S

# PACKAGING SOLUTIONS

INNOVATIVE ADHESIVE  
TAPE SOLUTIONS FOR  
EVERY INDUSTRY.™



 [cellux.us](http://cellux.us)

# HEAVY DUTY PACKAGING TAPE

**C-736/C-736**



The **Heavy Duty (HD) HD** packaging tape is ideal for packaging requiring superior performance. Its properties make this a highly weight-efficient tape designed for heavy-duty industrial loading applications. Its heavy aggregate adhesive provides the necessary strength and support for the most demanding packaging work.

- Superior strength
- High durability, making it suitable for demanding applications.
- Reinforcements are used throughout.


Model	Thickness (mm)	Weight (g/m <sup>2</sup> )	Adhesive Type	Temperature	Temperature
C-736-0.15-18	0.15	170	HD	50	120°C
C-736-0.15-20		180		120°C	
C-736-0.15-25		170		150°C	
C-736-0.15-30		180		150°C	

## C-736




The **heavy-duty (HD) HD** packaging tape is designed to be the most weight-efficient choice for the heavy-duty packaging applications. Thanks to its HD support, it is the most resistant to stretching, providing a long useful life during storage. This feature is the result of its adhesive, which is strengthened by providing it with an HD base.

## C-736



The **heavy-duty (HD) HD** packaging tape is the ideal for the packaging industry where greater resistance is required. It offers an HD base to support. Thanks to its HD support, the tape is the most resistant to stretching, providing a long useful life during storage. This feature is the result of its adhesive, which is strengthened by providing it with an HD base.

## C-736



The **heavy-duty (HD) HD** packaging tape is the most ideal for the packaging industry where greater resistance is required, offering an HD base to support. Thanks to its HD support, it provides the most resistant to stretching, providing a long useful life during storage.



www.dellux.com



# SPECIALTY PACKAGING SOLUTIONS



"INNOVATIVE ADHESIVE  
TAPE SOLUTIONS FOR  
EVERY INDUSTRY"





# REFRIGERATION SOLUTIONS

"INNOVATIVE ADHESIVE  
TAPE SOLUTIONS FOR  
EVERY INDUSTRY"



# DUCT TAPE

C-386



## DUCT TAPE

Duct tape (code **C-386**) is a adhesive tape that contains polypropylene cloth and polyethylene film with a strong rubber adhesive covering the cloth. Duct tape is used for various jobs, designed for water resistance, it is used primarily for construction repairs. It can be used on irregular surfaces like construction, automotive and home repairs. Don't let the name fool you, it's the only adhesive tape that can stick to wet surfaces.

-  Aggressive adhesive
-  Excellent cold temperature performance
-  Exceptional bonding power for indoor and outdoor use
-  Sticks immediately
-  Removable with no residue

Code	Thickness (mm)	Width (cm)	Length (m)	Weight (kg)	Dimensions (mm)
C-386-300x100x1000	1,5	10	100	0,15	300x100x1000



# FOIL TAPE

## C-387



### FSE REINFORCED ALUMINUM FOIL TAPE

The reinforced aluminum foil tape **C-387** is a tape designed for superior performance thermal applications. Its fiberglass reinforcement makes it more resistant to the stretching, sagging and tearing of cooling pipes. Its adhesive provides long service life in long-term applications.

- Strengthens surfaces used in selective temperature sensitive
- Its fiberglass reinforcement makes it more resistant to stretching, sagging and tearing
- The material is impermeable to water vapor molecules, providing superior protection and insulation

ITEM	Thickness (mm)	Width (mm)	Length (m)	Roll Weight (kg)	Application
C-387	0.3	25	60	2.4	Heat shrink wrap
C-387	0.3	38	60	3.6	Heat shrink wrap

# FOIL TAPE

## C-384



### ALUMINUM FOIL TAPE

The aluminum foil tape **C-384** is a high-quality adhesive tape designed for metal applications and general purposes use. Thanks to its strong construction that makes the tape is perfect for sealing ducts, vents, airways, as well as for insulation and other general sealing purposes. Its heat-resistant properties make it ideal for use in hot and cold environments, and its strong adhesive allows it secure and long-lasting bond. Aluminum foil tape offers perfect solution for metal performance, insulation, airways and you will need a strong and durable tape for all your sealing and insulation needs.

- Heat resistant up to 120°C
- Highly adhesive
- Aggressive strips the adhesive
- Heat-resistant substance
- Waterproofing
- Bonds various materials to
- Simple, clean application
- Effective and long-term use

ITEM	Thickness (mm)	Width (mm)	Length (m)	Roll Weight (kg)	Application
C-384	0.3	25	60	2.4	Heat shrink wrap
C-384	0.3	38	60	3.6	Heat shrink wrap



**Cellux**   
EST. 1952

# FOAM TAPES

"INNOVATIVE ADHESIVE  
TAPE SOLUTIONS FOR  
EVERY INDUSTRY."



 [cellux.us](http://cellux.us)

# NEOPRENE TAPE

C-676



## DOUBLE SIDED NEOPRENE TAPE

The Delfax double neoprene foam tape is a special high-strength, double-sided tape designed for providing support on a variety of surfaces and environments. It is well suited to long duration trials ideal for the automotive industry.

- High performance in environmental conditions.
- Great for stamping.
- Guarantees a safe mounting.
- High resistance.
- Enables application on multiple surfaces.
- Long duration.
- Resistant to industrial and automotive chemicals.
- Oil resistant.

Code	Thickness (mm)	Width (mm)	Length (m)	Structure	Dimensions
C1246	20	50	20	10	individual roll
C1276		7	20	10	individual roll
C1296		100	20	8	individual roll



www.delfax.com





Cellux   
1987-2017

# ELECTRICAL SOLUTIONS


"INNOVATIVE ADHESIVE  
TAPE SOLUTIONS FOR  
EVERY INDUSTRY."



 [cellux.us](http://cellux.us)

# ELECTRICAL TAPE

C-878



## INDUSTRIAL ELECTRICAL TAPE

The C878 Industrial electrical tape is a self-adhesive tape ideal for projects in the electricity industry. Certified under the IEC61010 standard, this electrical tape has excellent elongation and memory recovery properties. The C878 is tearproof and insulates up to 600V.

- Stretch and flexibility;
- Resistant to abrasion, moisture, alkalies, acids, corrosion, and varying weather conditions.
- Cold and sunlight resistant.

Part	Thickness (mm)	Width (mm)	Length (m)	Resistance	Application
C-878	3	32	6	100	Heat shrink wrap



www.coltux.com





SAFE  
C-578  
34" x 10 1/2"  
100 Count

Cellux

defined  
edges.



cel

Cellux



Cellux +