

f in D www.cellux.us

"INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY"



With over 100 years in the adhesive tape industry, and a strong presence in countries around the world, Cellux® has arrived to the United States to offer expandity adhesive tapes at the most competitive prices.

We understand our customer needs. When we talk about adhesive tape, we talk effectiveness, and efficiency when solving a necessity. We seek to reach each pers offering just what they need, in the most accessible way.

Optimize your operation with Cellux® and find any tape solution with our high-qu line of products. From packaging and masking tapes, to refrigeration tapes and mc

CONTENTS

MASKING SOLUTIONS

- Stationery masking tape
- General purpose masking tape
- Yellow general masking tape
- Contractor grade masking tape
- Blue painters masking tape
- Yellow body shop masking tape
- High performance painting masking tape
- Orange weatherproof masking tape
- Waterproof superior masking tape
- Superior fine lines masking tape (Washi Tape)

PACKAGING SOLUTIONS

- General purpose
- Medium grade
- Heavy grade
- Heavy duty packaging tape
- Production grade packaging tape

SURFACE PROTECTION SOLUTIONS

- Red Stucco Tape
- Blue Protection Film Windows C

SPECIALTY PACKAGING SOLUTIONS

- Gummed Packaging Tape
- Reinforced Gummed Tape

REFRIGERATION SOLUTIONS

- Foil tape
- Utility grade duct tape
- Premium grade duct tape
- Reinforced foil tape

FOAM TAPES

- Double Sided Neoprene Tape
- Double Sided Polyethylene Tape

ELECTRICAL SOLUTIONS

Industrial Electrical Tape

When you think of adhesive tapes, think of Cellux® US LLC.





MASKING Solutions

👽 cellux.us









Introducing **Stationery Masking Tape C-563**, your trusty companion for all your everyday projects. Perfect for home crafts, school assignments, and any other tasks that need a little masking magic. With its easy application and clean removal, this tape makes creating crisp lines effortless. Get creative without any additional stress with Cellux Stationery Masking Tape.

Craft use.
Hand tearable.
Good adhesion.
Easy to remove.
Write-On surface.

0

| SKU | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PACKS |
|----------------|------------|-------------|------------|-------|
| C-563036060PK4 | 1" 1/2 | 60 | 32 | 4 |
| C-563048060PK3 | 2" | 60 | 24 | 3 |





Our **General Purpose Masking Tape C-564**, a versatile and essential tool for a wide range of applications. With its strong adhesive and easy application, this masking tape is perfect for creating clean lines and securing surfaces during painting, crafting, or general repairs. The tape adheres firmly, ensuring a dependable hold, yet can be easily removed. without leaving behind any residue. Whether you're a DIY enthusiast or a professional, our General Purpose Masking Tape is the go-to solution for all your masking needs.

Entry-level application.

👽 Excellent adhesión.

Easy to remove.

Temporary protection.

| SKU | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PACKS |
|-------------------------------|------------|-------------|------------|-------|
| C-5 <mark>64012060PK24</mark> | 1/2" | | 96 | 24 |
| C-564018060PK15 | 3/4" | | 60 | 15 |
| C-564024060PK12 | ר" | 60 | 48 | 12 |
| C-564036060PK8 | 1" 1/2 | | 32 | 8 |
| C-56 <mark>4048060PK6</mark> | 2" |] | 24 | 6 |









Introducing our **Yellow General Masking Tape C-565**, perfect for a variety of tasks. With its high visibility yellow color and strong adhesive, it's ideal for marking edges and protecting surfaces, even in hard-to-reach areas. Its flexibility makes it easy to create shapes, simplifying the painting process. Thanks to its clean removal it makes this tape the perfect ally for indoor tasks. 😲 It is flexible.

- High visibility.
- Cleaner paint lines.
- Easy cutting.
- 5-day indoor clean removal.

| SKU | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PACKS |
|----------------|------------|-------------|------------|-------|
| C-565018060PK1 | 3/4" | | 48 | - |
| C-565024060PK1 | ך. | 60 | 36 | - |
| C-565036060PK4 | 1 1/2" | | 32 | 4 |
| C-565048060PK3 | 2" | | 24 | 3 |

<section-header>

PERFORMANCE

Our **Contractor–Grade Masking Tape C-566,** is made of an advanced semi crepe technology that has been validated as the best-priced tape for body shops specially designed for high-performance surface protection and labeling in the construction, automotive, and marine industries achieving up to 5 days of clean removal.

- 😲 High adhesión.
- 👽 5 days clean release.
- Excellent holding power.
- 👽 Easy removal.
- 👽 Quick stick.

| SKU | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE |
|----------------|------------|-------------|------------|
| C-566012060PK1 | 1/2" | | 72 |
| C-566018060PK1 | 3/4" | | 48 |
| C-566024060PK1 | ן" | 60 | 36 |
| C-566036060PK1 | 1" 1/2 | | 24 |
| C-566048060PK1 | 2" | | 24 |





| BLUE |
|------------------|
| PAINTER'S |
| MASKING TAPE |
| C-576 |





Introducing our premium **Blue Painter's Masking Tape C-576**, the perfect companion for all your painting projects. Engineered with precision and designed for versatility, this high-quality tape ensures clean, crisp lines while protecting surfaces from unwanted drips and splatters. Elevate your painting experience with this reliable and indispensable tool, crafted to make your creative endeavors seamless and precise. Unleash your creativity without worrying about messy edges- trust in the precision of our Blue Painter's Masking Tape for a flawless finish every time.

👽 UV Resistant.

- 👽 Clean removal.
- No paint bleed.
- Easy to tear.
- 👽 Cleaner paint lines.
- Removes cleanly for up to 14 days.

| SKU | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PACKS |
|----------------|------------|-------------|------------|-------|
| C-576024060PK6 | ן" | | 48 | 6 |
| C-576036060PK4 | 1 1/2" | 60 | 32 | 4 |
| C-576048060PK3 | 2" | | 24 | 3 |



Our **Body Shop Masking Tape C-584,** is crafted from semi-crepe paper saturated in a vibrant yellow hue. This tape boasts high-performance qualities perfect for construction, automotive, and marine applications. With its natural rubber adhesive, it ensures superior adhesion and visibility, making it ideal for precise work. Resilient against high temperatures up to 230°F for 30 minutes, it adapts seamlessly to irregular surfaces and works flawlessly with masking paper and protective film, adhering to itself effortlessly. Plus, its UV resistance guarantees a residue-free removal for up to 7 days in outdoor settings.

in Smooth to the touch.
or Indoor and outdoor use.
Tear and solvent-resistant.
Excellent paint anchorage.
High performance and visibility.
Performing in overlapping the tape.

| SKU | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE |
|----------------|------------|-------------|------------|
| C-584018060PK1 | 3/4" | | 48 |
| C-584024060PK1 | ן" | 60 | 36 |
| C-584036060PK1 | 1 1/2" | | 24 |
| C-584048060PK1 | 2" | | 24 |










HIGH



Unleash precision and speed with our Cellux **High Performance Paint Masking Tape C-586G.** This tape is carefully designed to achieve crisp paint lines and efficient masking during high-performance automotive projects. With superior adhesion and durability, it ensures a seamless application, whether you're customizing, detailing, or conducting racing-inspired paint jobs.



| SKU | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE |
|-----------------|------------|-------------|------------|
| C-586G018060PK1 | 3/4" | | 48 |
| C-586G024060PK1 | ד" | 60 | 36 |
| C-586G036060PK1 | 1 1/2" | | 24 |
| C-586G048060PK1 | 2" | | 24 |

ORANGE

MASKING TAPE

C-5860

WEATHERPROOF



Orange Weatherproof Masking Tape C-586O, is a professional-grade solution for body shop masking needs. Crafted with a semi crepe paper backing and a solvent-borne rubber resin adhesive, this tape offers exceptional resistance to moisture, water, and solvent-based paints. Specifically engineered for specialized applications, our C-586O weatherproof masking tape ensures precise masking during spray painting processes, withstanding high temperatures without paint seepage. Its adhesive guarantees residue-free removal.

Auto-de
Overlappir
Marine paint
High-tempera
Challenging sur

fiberglass, meta

| SKU | WIDTH (IN) | LENGTH (YD) | |
|-----------------|------------|-------------|--|
| C-586O024060PK1 | ר" | | |
| C-5860036060PK1 | 1 1/2" | 60 | |
| C-586O048060PK1 | 2" | | |



At Cellux®, we understand that each project is different. We can manufacture the size and presentation according to yo





Allux Cellux Cel



PACKAGING Solutions











king Tape 4 Ib in

for packschool, or its BOPP ce and its ng useful pe can be ement by nks. The **Medium-Grade Packaging Tape C-715**, is the ideal for the packaging industry where greater resistance is required, it holds up to 66 lb in weight. Thanks to its BOPP support, it is tear resistance and its adhesive guarantees a long useful life during storage. This tape can be used as an advertising element by printing on it with up to 3 inks. The **Heavy-Grade Packaging Tape C-720**, is the ideal ally for the packaging industry where greater resistance is required, carrying up to 66 lb of weight. Thanks to its BOPP support, it provides tear resistance and its adhesive guarantees a long useful life during storage.



uperior performance. Its properties reight-resistant tape designed for **v Hi** ealing applications. Its highly **for** rovides the necessary safety and **v Resis** emanding packaging work.

| THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | |
|---------------------|---------------|-------------|--|
| | 2" | | |
| | 3" | 110 | |
| 2.08 | 2" | 110 | |
| | 3" | | |
| | 2" | 110 | |









Our **Production Grade - Hot Melt C-730**, is a packaging tape perfect for both manual and automated applications in medium-weight cartons within typical manufacturing and shipping environments. Featuring instant, permanent bonding to diverse substrates and surfaces, our tape boasts a special release coating for smooth, low-force unwinding. With excellent performance, it optimizes production efficiency while minimizing tape waste.

Instant and permanent adhesion.

- Manual and automated industrial sealing.
- Excellent performance on recycled corrugate.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|--------------|---------------------|---------------|-------------|------------|--------------|
| C-725048110 | 2.08 | 2" | | 36 | CLEAR |
| C-725072110 | | 3" | 110 | 24 | CLEAR |
| C-726048110 | | 2" | 110 | 36 | TAN |
| C-726072110 | | 3" | | 24 | TAN |
| C-7250481000 | | 2" | 110 | 6 | CLEAR |







RFACE DTECTION UTIONS

ux.us

Y Z t





The **Red Stucco Tape C-340** is an essential tool for construction projects such as installing cement, masonry, and insulation. When working on these tasks, having a high-quality stucco tape makes a big difference in effectiveness and efficiency. Our red stucco tape is ideal for contruction workers to complete their projects.

Superior strength

- High durability making it suitable for demanding applications.
- Resistent to UV and moisture.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|----------------|---------------------|---------------|-------------|------------|--------------|
| C-340048060PK1 | 6,9 | 2" | 60 | 24 | Loose rolls |



The **Blue Protection Film for windows Cellux C-310** is a blue polyethylene film. Our product adheres to glass or molding from edge to edge allowing the film to stay in place. Although it has the necessary adhesion to get the job done, it can be removed up to 60 days with clean removal without damaging the window or leaving residue. It is suitable for both indoor and outdoor environments.

- Durable performance during construction projects.
- Self-adhesive polyethylene film.
- Blue color.
- 60-days clean removal.
- UV resistant for outdoor use.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|----------------|---------------------|---------------|-------------|------------|--------------|
| C-310021600PK1 | 1,96 | 21" | 600 | 1 | Loose rolls |





SPECIALTY PACKAGING SOLUTIONS



"INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY."

llux. Cellux. Cen

K. Cellux. Cellux.

liux. Cellux. Cellux.

cellux cellux cell

x. cellux. cellux. c

sllux. Cellux. Cell

ellux. Cellux.



🔁 cellux.us



PAC

Gummed Packaging Tape C-751 resistant kraft paper with a water glue coating. It is ideal for the counscious individual. Its (

temper-proof formula is ide cardboard packaging. Available white.



The **Reinforced Gummed Tape C-752** is the perfect tape for cardboard packaging in every weight category. Its overlaid polymer fibreglass inlay fulfills the most demanding requirements surrounding tear resistance, theft, and trasportation security. Our

tape is ideally suited for packages with valuable and sensitive contents, as well as for

international air transport.

Can be printed.

TAPE C-752

C-751

- Water activated adhesive.
- Creates a bond with the box on sticking.
- 100% recyclable & environment friendly.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-752 | 6.49 | 2" | 50 | 24 | Individual roll |







REFRIGERATION Solutions







The Aluminum Foil Tape Cellux C-384 is a high-quality adhesive tape designed for HVAC applications and general purpose use. Made from sturdy aluminum foil material, this tape is perfect for sealing ducts, vents, and pipes, as well as for insulation and other general sealing purposes. Its heat-resistant properties make it ideal for use in hot and cold environments, and its strong adhesive ensures a secure and long-lasting hold. Aluminum Foil Tape is the perfect solution for HVAC professionals, contractors, and people like you who need a reliable and durable tape for all their sealing and insulation needs.

Dead soft aluminum foilHighly conformable

- O Aggressive acrylic PS adhesive
- 🕫 Good Moisture Resistance
- Waterproof Backing
- Resists extreme fluctuations in
- tempe- rature after application
- Reflects and dissipates heat.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-384 | 71 | 2" | 40 | 24 | Heat shrink wrap |
| C-384 | 3.1 | 3" | 40 | 16 | Heat shrink wrap |



Our **Utility Grade Duct Tape C-385** is meticulously engineered from polyester (PET) cloth and polyethylene (PE) film, complemented by an aggressive pressure-sensitive natural rubber adhesive. Its robust construction makes it ideal for demanding applications, providing dependable adhesion and strength. Plus, its flexibility allows it to conform seamlessly to irregular surfaces, ensuring a secure bond even on challenging substrates. Whether you're working on repairs, crafting projects, or industrial applications, trust our duct tape to deliver unmatched performance and durability.

- Adhesive strength.
- Weather resistance.
- Flexibility and durability.
- Wet applications.
- Temporary sealing in high-tension conditions.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|----------------|---------------------|---------------|-------------|------------|--------------|
| C-385048060PK1 | 6,9 | 2" | 60 | 24 | Loose rolls |









Our **Premium Duct Tape**, is a Polyethylene (PE) coated cloth tape, engineered with an aggressive pressure-sensitive natural rubber adhesive for superior adhesion to diverse surfaces across a wide range of temperature conditions. Designed to meet the demands of challenging applications, this tape offers reliable performance and durability. Specifically crafted for HVAC applications, it is predominantly employed for demanding repairs and is equally effective on irregular surfaces in construction and automotive projects.

- Grease resistance.
 Wide range of temperature.
- Easily conforms to irregularsurfaces.
- Aggressive and waterproof adhesive.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|----------------|---------------------|---------------|-------------|------------|--------------|
| C-386048060PK1 | 16 | 2" | 60 | 24 | Loose rolls |





The **Reinforced Aluminum Foil Tape Foil/Scrim/Kraft** (FSK) C-387 is a tape designed for superior performance thermal applications. Its fiberglass reinforcement makes it more resistant in the installation, support and insulation of cooling pipelines. Its adhesive provides longer duration in time prolonging wear. Exceptional resilience even in extreme temperature variations.

 Its backing is designed to remain smooth and free of wrinkles, preventing tearing or damage.

 The material is impermeable to water vapor and smoke, providing reliable protection and insulation.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-387 | 67 | 2" | 40 | 24 | Heat shrink wrap |
| C-387 | 6.7 | 3" | 40 | 16 | Heat shrink wrap |





IS COO

Cellux Cellux



FOAM TAPES





NEOPRENE TAPE



DOUBLE SIDED

The **Black Neoprene Foam Tape C-476**, is a special high-strength, double-sided tape designed for providing support on a variety of surfaces and environments. It is safe due to its long duration. It is ideal for the automotive industry.

- High performance in environmental conditions.
- It can be stamped.
- Guarantees a safe mounting.
- ^o High resistance.
- Can be applied on multiple surfaces.
- Long duration.
- Resistant to moisture and substances chemicals.
- UV Resistant.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-476 | | 3/ 4" | 20 | 16 | Individual roll |
| C-476 | 39 | ٦" | 20 | 12 | Individual roll |
| C-476 | | 1"1/2 | 20 | 8 | Individual roll |



At Cellux®, we understand that each project is different. We can manufacture the size and presentation according to your requirement.





DOUBLE

SIDED

TAPE

POLYETHYLENE TAPE



POLYETHYLENE

The double-face white foam tape **C-483** is specially designed to junc- tion and assemble lightweight objects in the domestic and commercial sectors. Eliminates the use of tiptoe and screws to mount objects such as carriers, light mirrors, posters, etc.



The double-face white foam tape **C-484** is a film specially designed for the junction and assembly of lightweight objects in the domestic and commercial sectors. Eliminates the use of tiptoe and screws to mount objects such as carriers, light mirrors, posters, etc.



The double-face white foam tape **C-486**, is a film specially designed for the junction and assembly of medium-weight objects, mainly in the hardware sector. Due to its proper thickness and strong adhesive, it is used in windows, electrical assemblies, construction finishes, etc.

- Superior and Instant adhesion to a variety of surfaces, including low-surface energy materials.
- Replaces hardware and other mechanical fastening options.
- Excellent conformability.
- Good moisture and temperature resistance.
- Guarantees a safe mounting.
- Constant Constant

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|-------|------------------|------------|-------------|------------|-----------------|
| C-483 | | 1/2" | 10 | 48 | Individual roll |
| C-483 | | 1/2" | 30 | 24 | Individual roll |
| C-483 | | 3/4" | 10 | 32 | Individual roll |
| C-483 | 39 | 3/4" | 30 | 16 | Individual roll |
| C-483 | | ٦" | 10 | 24 | Individual roll |
| C-483 | | 1" | 30 | 12 | Individual roll |
| C-483 | | 1"1/2 | 10 | 16 | Individual roll |
| C-483 | | 1"1/2 | 30 | 8 | Individual roll |

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|-------|------------------|------------|-------------|------------|-----------------|
| C-484 | | 1/2" | 10 | 48 | Individual roll |
| C-484 | | 1/2" | 30 | 24 | Individual roll |
| C-484 | | 3/4" | 10 | 32 | Individual roll |
| C-484 | 63 | 3/4" | 30 | 16 | Individual roll |
| C-484 | | ٦" | 10 | 24 | Individual roll |
| C-484 | | ٦" | 30 | 12 | Individual roll |
| C-484 | | 1"1/2 | 10 | 16 | Individual roll |
| C-484 | | 1"1/2 | 30 | 8 | Individual roll |

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|-------|------------------|------------|-------------|------------|-----------------|
| C-486 | | 1/2" | 10 | TBD | Individual roll |
| C-486 | | 1/2" | 30 | TBD | Individual roll |
| C-486 | | 3/4" | 10 | TBD | Individual roll |
| C-486 | 126 | 3/4" | 30 | TBD | Individual roll |
| C-486 | |]" | 10 | TBD | Individual roll |
| C-486 | | ٦" | 30 | TBD | Individual roll |
| C-486 | | 1"1/2 | 10 | TBD | Individual roll |
| C-486 | | 1"1/2 | 30 | TBD | Individual roll |



ELECTRICAL SOLUTIONS

Cellu

🔁 cellux.us







INDUSTRIAL ELECTRICAL TAPE

The **C-818** industrial electrical tape is a PVC-based tape ideal for projects in the electricity industry. Certified under the RETIE standard, Cellux electrical tape has excellent elongation and memory recovery properties. The C-818 is fireproof and and insulates up to 600V.

- Stretch and flexibility.
- Resistant to abrasion, moisture, alkalies, acids, corrosion, and varying weather conditions.
 Cold and sunlight resistant.

| SKU | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-818 | 7 | 3,4" | 16 | 180 | Heat shrink wrap |



Cellux®, we understand that each project is different. We can manufacture the size and presentation according to your requirement.



